

PRODUCTS CATALOGUE 2019

DASAN

F I R E A R M S G R O U P

DASAN

MACHINERY, INVESTMENT CASTING AND TOOLS



ABOUT US

Dasan Machineries Co., Ltd. has been in the business of producing firearms parts and complete guns since its founding in 1992. It and has been recognized by the world for its innovative technology and the quality manufacturing of firearms parts and complete guns.

Dasan is constantly investing in technologies, research and new manufacturing methods to make the highest quality of parts available in the industry today. Dasan firearms development has been based upon ergonomic design, functionality and reliability since 2013 setting new standards for firearms manufacturing.

TABLE OF CONTENTS

PISTOL

DHP9G	3
DHP9P	4
DSP9A	5
DSP9P	6
DSPP9	7

RIFLE

DSAR15P	10
DSAR15	12
DSAR10S	13
DSAR47	14
DSMG9	15
DSSR762	16
DK-1A	18
DK-2C1	19
DAK47	20

SHOTGUN

RAPID	21
-------------	----

DHP9G

The proven 1911 classic design enhanced! This pistol is ready for a day at the range, personal defense or duty use. Featuring a govt. length slide, low profile sights, double slide serrations and fast single-action trigger.

SPECIFICATIONS

CALIBERS	9mm	.40 S&W	.45 ACP
WEIGHT	1.10 Kg	1.12 Kg	1.15 Kg
OVERALL LENGTH	210mm		
BARREL	127mm, GOVERNMENT STD. BARREL, BULL BARREL		
FINISH	BLACK COLOR, CERAKOTE or PVD COATING		
MAGAZINE	10 ROUNDS		
TRIGGER	4.5lbs w/AMBI SAFETY LEVER		
SIGHTS	LOW PROFILE, NOVAK STYLE		
MATERIAL	SLIDE&FRAME :SUS416 or 4140 STEEL, PANEL : WOOD or POLYMER		



DHP9P

The blending of traditional 1911 design with a modular machined rail and high capacity wide body grip, creates the amazing DHP9P handgun. Combining the best of functionality and reliability, this handgun offers a variety of uses from competition shooting to defense purposes. The familiar feel of the 1911 slide and operational parts along with, the natural pointing ability of the wide body grip assembly, makes the DHP9P a dependable partner for whatever shooting discipline its chosen for to perform.

SPECIFICATIONS

CALIBERS	9mm
WEIGHT	0.99Kg
OVERALL LENGTH	210mm
BARREL	127mm (5")
FINISH	BLACK COLOR, CERAKOTE or PVD COATING
MAGAZINE	17 ROUNDS (DOUBLE STACK)
TRIGGER	.45 lbs w/ AMBI SAFETY LEVER
SIGHTS	LOW PROFILE, NOVAK STYLE
MATERIAL	SLIDE&FRAME:SUS416 or 4140 STEEL, GRIP:POLYMER



- Wide Beavertail Grip Safety
- Extended Ambidextrous Thumb Safety
- Tactical Frame Rail
- Commander Style Hammer



DSP9A

The DSP9A, with its ergonomic design and high-quality materials, is destined to be a new industry standard in reliability and serviceability in a striker fired pistol. The lightweight aluminum alloy frame along with, the steel low profile slide and consistent trigger pull, gives this pistol the strength and dependability demanded by todays gun owners.

SPECIFICATIONS

CALIBERS	9mm
WEIGHT	0.77Kg
OVERALL LENGTH	177mm
BARREL	102mm
FINISH	BLACK COLOR, CERAKOTE, PVD COATING
MAGAZINE	15 ROUNDS
TRIGGER	~5.5lbs (~2.5Kg) w/TRIGGER SAFETY
SIGHTS	LOW PROFILE, FIXED TYPE
MATERIAL	SLIDE:SUS416 or 4140 STEEL, FRAME&GRIP:ALUMINUM



ADVANCED ERGONOMICS GRIP



TRIGGER SAFETY



DSP9P

The DSP9P Pistol is a combination of dependable striker fired design with a machined modular rail and ergonomic high capacity grip frame. It's compact design, smooth lines and natural feel in the hands has produced a modern handgun that is serviceable for a fun day at the range, personal defense or daily duty carry.

SPECIFICATIONS

CALIBERS	9mm
WEIGHT	0.62Kg
OVERALL LENGTH	177mm
BARREL	102mm
FINISH	BLACK COLOR
MAGAZINE	15ROUNDS
TRIGGER	~5.5lbs w/TRIGGER SAFETY
SIGHTS	FIXED LOW PROFILE
MATERIAL	SLIDE:SUS416, FRAME:4140 STEEL, GRIP: POLYMER



DSPP9

The DSPP9's slim ergonomic design and high-quality materials is making a new industry standard in reliability and serviceability. The lightweight polymer frame along with the steel low profile slide and consistent trigger pull, gives this pistol the strength and dependability demanded by serious gun owners.

SPECIFICATIONS

CALIBERS	9mm
WEIGHT	0.62Kg
OVERALL LENGTH	177mm
BARREL	102mm (4")
FINISH	BLACK COLOR, CERAKOTE, PVD COATING
MAGAZINE	15ROUNDS
TRIGGER	~5.5 lbs w/ TRIGGER SAFETY
SIGHTS	FIXED TYPE
MATERIAL	SLIDE:SUS416, FRAME&GRIP: POLYMER



DASAN PISTOLS COMPLETE SERIES



SPECIFICATIONS

MODEL	DHP9G (1911)	DHP9P	DSP9A	DSP9P	DSPP9
CALIBERS	9mm	9mm	9mm	9mm	9mm
WEIGHT	1.10KG	0.99 KG	0.77 KG	0.62 KG	0.62 KG
OVERALL LENGTH	210mm	210mm	177mm	177mm	177mm
BARREL LENGTH	127mm(5")	127mm(5")	102mm(4")	102mm(4")	102mm(4")
RIFLING TWIST	1:16 LH	1:16 LH	1:16 LH	1:16 LH	1:16 LH
FINISH	BLACK COLOR, CERAKOTE, PVD COATING	BLACK COLOR, CERAKOTE, PVD COATING	AL BLACK COLOR, CERAKOTE, PVD COATING	BLACK COLOR	BLACK COLOR, CERAKOTE, PVD COATING
MATERIAL	SLIDE&FRAME:SUS416 or 4140 STEEL, PANEL: WOOD or POLYMER	SLIDE&FRAME:SUS416 or 4140 STEEL, GRIP:POLYMER	SLIDE:SUS416 or 4140 STEEL, FRAME&GRIP:ALUMINUM	SLIDE:SUS416, FRAME:4140 STEEL, GRIP:POLYMER	SLIDE:SUS416, FRAME&GRIP:POLYMER
TRIGGER	~4.5LBS(2.04KG) w/ AMBI SAFETY LEVER	~4.5LBS(2.04KG) w/ AMBI SAFETY LEVER	~5.5LBS(2.5KG) w/ TRIGGER SAFETY	~5.5LBS(2.5KG) w/ TRIGGER SAFETY	~5.5LBS(2.5KG) w/ TRIGGER SAFETY
SIGHTS	LOW PROFILE, NOVAK STYLE	LOW PROFILE, NOVAK STYLE	LOW PROFILE, FIXED TYPE	FIXED LOW PROFILE	FIXED TYPE
OTHER	PICATINNY UNDER-RAIL	PICATINNY UNDER-RAIL	PICATINNY UNDER-RAIL	PICATINNY UNDER-RAIL	PICATINNY UNDER-RAIL
MAGAZINE	7~10 ROUNDS	17 ROUNDS	15 ROUNDS	15 ROUNDS	15 ROUNDS
FIRE MODE	HAMMER-FIRED	HAMMER-FIRED	STRIKER-FIRED	STRIKER-FIRED	STRIKER-FIRED

DSAR15P GAS PISTON SYSTEM



ACCURACY 1.3MOA



SAND TEST



MUD TEST
(LEVEL 12 ULTIMATE TEST)

- ✓ PERFORMANCE / ENVIRONMENT TEST : PASSED
- ✓ TOP 3-2-045 TEST : PASSED
- ✓ ACE 225 NATO TEST : PASSED

16" RIFLE



14.5" CARBINE



11.5" CQB



- ACTION**
SHORT-STROKE GAS PISTON ROTATING BOLT
- FRONT SIGHT BASE**
MIL-STD-1913 RAIL
- TRIGGER**
2-STAGE PRECISION TRIGGER & SINGLE STAGE TRIGGER
- AMBIDEXTROUS OPERATION**
- SELECTOR**
CHARGING HANDLE (MAGAZINE CATCH, BOLT CATCH)
- HANDGUARD**
QUADRO-SIDE PICATINNY RAIL (MIL-STD-1913) FREE FLOATING
- STOCK**
MULTI POSITION ADJUSTABLE STOCK (6-POSITION)

SPECIFICATIONS

CALIBERS	5.56×45mm NATO / .223		
BARREL	16"	14.5"	11.5"
WEIGHT	3.2Kg	3.1Kg	3.0Kg
OVERALL LENGTH	880mm	840mm	760mm
EFFECTIVE RANGE	550m		
MAGAZINE CAPACITY	30 ROUNDS		
TWIST	1:7" TWIST, 6 GROOVES RH		
RATE OF FIRE	700~950rpm		

DSAR15 GAS TUBE SYSTEM




- ACTION
GAS TUBE ROTATING BOLT
- FRONT SIGHT BASE
MIL-STD-1913 RAIL
- TRIGGER
SINGLE STAGE TRIGGER
- HANDGUARD
QUADRO-SIDE PICATINNY RAIL FREE FLOATING
- STOCK
MULTI POSITION ADJUSTABLE STOCK
(6-POSITION)

SPECIFICATIONS

CALIBERS	5.56×45mm NATO / .223		
BARREL	16"	14.5"	10.5"
WEIGHT	3.2Kg	3.1Kg	3.0Kg
OVERALL LENGTH	880mm	840mm	760mm
EFFECTIVE RANGE	550m		
MAGAZINE CAPACITY	30 ROUNDS		
TWIST	1:7" TWIST, 6 GROOVES RH		
RATE OF FIRE	700~950rpm		


DSAR10S GAS TUBE SYSTEM



- A dependable Single-Stage Trigger
- Simple Gas Tube System
- 18-inch Barrel
- Multi position (6-Position) Adjustable Stock
- M-Lock Compatible Lightweight Handguard
- Flared Magazine Well
- Multiple Quick Attach Sling Points

SPECIFICATIONS	
CALIBERS	7.62×51mm NATO / .308 WIN
BARREL	18"
WEIGHT	4Kg
OVERALL LENGTH	1,050mm
EFFECTIVE RANGE	800m
MAGAZINE CAPACITY	20 ROUNDS
TWIST	1:10" RH 1:11" RH

DSAR47




SPECIFICATIONS

CALIBERS	7.62×39mm, 5.45x39mm
ACTION	GAS PISTON OPERATED
WEIGHT W/O MAGAZINE	3.1Kg
OVERALL LENGTH	840mm STOCK RETRACTED 930mm STOCK EXTENDED
BARREL LENGTH	16"
MUZZLE VELOCITY	700~950m/s
EFFECTIVE RANGE	500m
RIFLING	1:9" TWIST, 6 GROOVE R/H

- Optimized Design for the proven 7.62×39mm Cartridge
- Gas Piston Operation System with Rotating Locking Bolt
- Adjustable Gas Valve
- Multi position (6-Position) Adjustable Stock
- 4-Rail Picatinny Handguard (Panoramic Sight, Flashlight, Laser Sights and etc.)

DSMG9



SPECIFICATIONS

CALIBERS	9×19mm
WEIGHT	2.5Kg, 2.7Kg
BARREL LENGTH	7.5" 10.5"
OVERALL LENGTH	605mm STOCK RETRACTED 690mm STOCK RETRACTED 685mm STOCK RETRACTED 770mm STOCK RETRACTED
FINISH	BLACK ANODIZED
EFFECTIVE RANGE	100m
MAGAZINE CAPACITY	33 ROUNDS
RATE OF FIRE(FULL-AUTO)	750~950 rpm
MUZZLE VELOCITY	350m/s
OPERATION SYSTEM	BLOW BACK
RIFLING	1:10" TWIST, 6 GROOVE R/H

- A sub-machine gun designed for the Special Forces and SWAT operation
- Optimized Design with Ambidextrous Charging Handle
- Blow-Back Operation
- Compatible with Glock Magazine (9x19mm)
- Multi position (6-Position) Adjustable Stock for User Body Type
- Low Profile M-Lok Compatible Forend
- Adapted Picatinny-rail with Upper & Lower Handguard for Various Accessories (Flip Sight, Flashlight, Laser Sights and etc.)

DSSR762 GAS PISTON SYSTEM (SNIPER)

The rifle shown with the addition of precision marksman accessories. DASAN proprietary gas piston operating system prevents propellant gases and carbon fouling from entering into the receiver area, increasing the reliability of the rifle.



DSSR762 Long Rifle Package is a standard DSSR762 with the addition of essential precision marksman accessories


Accuracy

1 MOA guaranteed accuracy standard using KM80 ammunition. Optional barrel twist rate available to optimize subsonic ammunition accuracy.

SPECIFICATIONS

CALIBERS	7.62×51 mm NATO
MAGAZINE CAPACITY	5/10/20 ROUNDS
WEIGHT	9.48~11.75 lb (4.3~5.33 Kg)
OVERALL LENGTH	39.4~41.3 inch (1,000~1,050 mm)
WIDTH (APPROX.)	2.75 inch (70 mm)
HEIGHT	7.28 inch (185 mm)
FIRE MODE	SEMI-AUTO
TRIGGER SYSTEM	2-STAGE MATCH TRIGGER
BARREL	COLD HAMMER FORGED BARREL 20" (508 mm)
STOCK	Target style buttstock adjustable for comb height and length of pull


DK-1A



SPECIFICATIONS

CALIBERS	5.56×45mm NATO
BARREL LENGTH	263mm (10.5")
WEIGHT	2.87Kg
OVERALL LENGTH	838mm
RIFLING	1:12" (305mm), 6-GROOVE
RATE OF FIRE	800rpm
MAGAZINE	30 ROUNDS

DK-2C1



SPECIFICATIONS

CALIBERS	5.56×45mm NATO
BARREL LENGTH	465mm (18")
WEIGHT	3.68Kg
OVERALL LENGTH	970mm
RIFLING	1:7.3" (185mm), 6-GROOVE
RATE OF FIRE	820rpm
MAGAZINE	30 ROUNDS

DAK47

SPECIFICATIONS

CALIBERS	7.62×39mm		
WEIGHT	DAK47W 3.1Kg	DAK47P 3.1Kg	DAK47A 3.2Kg
BARREL LENGTH	16"		
OVERALL LENGTH	895mm		
RIFLING	1:9.5" TWIST, 6 GROOVE R/H		
MAGAZINE CAPACITY	30 ROUNDS		
RATE OF FIRE	600 rpm.		



RAPID (SHOTGUN, 12 gauge)

RAPID V.1 STANDARD



RAPID V.2 RIB



RAPID V.3 TACTICAL



SPECIFICATIONS

ACTION	PUMP ACTION, 12 GAUGE ROUND
OVERALL LENGTH	1,050mm
WEIGHT	3Kg
FINISH	BLACK or CAMOUFLAGE
MAGAZINE CAPACITY	7+1 CHAMBERED

- Dependable Pump action operation using dual steel action bars
- High grade aluminum alloy receiver machine from a solid billet
- Comes Standard with removable threaded choke tubes

DASAN
FIREARMS GROUP



DASAN MACHINERIES CO., LTD. www.da-san.co.kr

17, Techno valley 2-ro, Bongdong-eup, Wanju-gun, Jeollabuk-do, REPUBLIC OF KOREA 55314
P+82-63-261-0411 F+82-63-261-0415 dsgun@da-san.co.kr

DASANUSA INC. www.dasanusa.com

2400 Chattahoochee drive duluth, GEORGIA 30097, UNITED STATES OF AMERICA
P+1-770-623-6722 F+1-770-623-6723 sales@dasanusa.com

DASAN EUROPE

Frankfurter Str. 44, 61476 Kronberg, GERMANY
Tel.: +49-6173-9958-415 theo.ko@dasan-eu.com

The pictures and colours shown may differ from the original | 1992 © **DASAN MACHINERIES Co., Ltd.**