PRODUCTS CATALOGUE 2019



DASAN **MACHINERY, INVESTMENT CASTING AND TOOLS**



ABOUT US

Dasan Machineries Co., Ltd. has been in the business of producing firearms parts and complete guns since its founding in 1992. It and has been recognized by the world for its innovative technology and the quality manufacturing of firearms parts and complete guns.

Dasan is constantly investing in technologies, research and new manufacturing methods to make the highest quality of parts available in the industry today. Dasan firearms development has been based upon ergonomic design, functionality and reliability since 2013 setting new standards for firearms manufacturing.

TABLE OF CONTENTS

PISTOL DHP9G DHP9P DSP9A DSP9P DSPP9 RIFLE DSAR15P DSAR15 DSAR10S DSAR47 DSMG9 DSSR762 DK-1A DK-2C1 DAK47 SHOTGUN RAPID

DHP9G The proven 1911 classic design enhanced! This pistol is ready for a day at the range, personal defense or duty use. Featuring a govt. length slide, low profile

sights, double slide serrations

and fast single-action trigger.

SPECIFICATIONS

CALIBERS

WEIGHT

OVERALL LENGTH

BARREL

FINISH

MAGAZINE

TRIGGER

SIGHTS





10 ROUNDS

4.5 lbs w/AMBI SAFETY LEVER

LOW PROFILE, NOVAK STYLE



(NOVAK STYLE)

DOUBLE SAFETY

(THUMB SAFETY,

GRIP SAFETY)



TACTICAL ACCESSORY RAIL

CHECKERED

FRONT STRAP



(BOMAR)

REAR SIGHT

MAGAZINE

CHECKERED

MAIN SPRING HOUSING

DHP9P

The blending of traditional 1911 design with a modular machined rail and high capacity wide body grip, creates the amazing DHP9P handgun. Combining the best of functionality and reliability, this handgun offers a variety of uses from competition shooting to defense purposes. The familiar feel of the 1911 slide and operational parts along with, the natural pointing ability of the wide body grip assembly, makes the DHP9P a dependable partner for whatever shooting discipline its chosen for to perform.

SPECIFICATIONS

CALIBERS	9mm
WEIGHT	1.10 Kg
OVERALL LENGTH	210mm
BARREL	127mm (5")
FINISH	BLACK COLOR, CERAKOTE or PVD COATING
MAGAZINE	17 ROUNDS (DOUBLE STACK)
TRIGGER	.45 lbs w/ AMBI SAFETY LEVER
SIGHTS	LOW PROFILE, NOVAK STYLE
MATERIAL	SLIDE: SUS416 or 4140 STEEL FRAME: SUS416 or 4140 STEEL POLYMER GRIP





REAR SIGHT

DSP9A

The DSP9A, with its ergonomic design and high-quality materials, is destined to be a new industry standard in reliability and serviceability in a striker fired pistol. The lightweight aluminum alloy frame along with, the steel low profile slide and consistent trigger pull, gives this pistol the strength and dependability demanded by todays gun owners.

SPECIFICATIONS

CALIBERS	9mm
WEIGHT	0.77Kg
OVERALL LENGTH	177mm
BARREL	102mm
FINISH	BLACK COLOR, CERAKOTE, PVD COATING
MAGAZINE	15 ROUNDS
TRIGGER	~5.5lbs (~2.5Kg) w/TRIGGER SAFETY
SIGHTS	LOW PROFILE, FIXED TYPE
MATERIAL	SLIDE : SUS or STEEL GRIP/FRAME : ALUMINUM





ADVANCED TRIGGER SAFETY ERGONOMICS GRIP

DSP9P

The DSP9P Pistol is a combination of dependable striker fired design with a machined modular rail and ergonomic high capacity grip frame. It's compact design, smooth lines and natural feel in the hands has produced a modern handgun that is serviceable for a fun day at the range, personal defense or daily duty carry.

SPECIFICATIONS


CALIBERS	9mm
WEIGHT	0.77 Kg
OVERALL LENGTH	177mm
BARREL	102mm
FINISH	BLACK COLOR
MAGAZINE	15ROUNDS
TRIGGER	~5.5lbs w/TRIGGER SAFETY
SIGHTS	FIXED LOW PROFILE
MATERIAL	SLIDE : SUS, FRAME : 4140 STEEL POLYMER GRIP





DSPP9

The DSPP9's slim ergonomic design



SPECIFICATIONS

CALIBERS	9mm	
WEIGHT	0.6Kg	
OVERALL LENGTH	177mm	
BARREL	102mm (4")	
FINISH	BLACK COLOR, CERAKOTE, PVD COAT	
MAGAZINE	15ROUNDS	
TRIGGER	~5.5 lbs w/ TRIGGER SAFETY	
SIGHTS	FIXED TYPE	
MATERIAL	SLIDE: SUS416, POLYMER GRIP	



CHECKERED FRONT STRAP



MAGAZINE

DASAN PISTOLS COMPLETE SERIES












SPECIFICATIONS

MODEL	DHP9G (1911)	DHP9P	DSP9A	DSP9P	DSPP9
CALIBERS	9mm	9mm	9mm	9mm	9mm
WEIGHT	1,10 KG	1,10 KG	0.77 KG	0,77 KG	0,6 KG
OVERALL LENGTH	210 mm	210 mm	177 mm	177 mm	177mm
BARREL LENGTH	127mm(5")	127 mm (5")	102mm(4")	102 mm (4")	102mm(4")
RIFLING TWIST	1:16 LH	1:16 LH	1:16 LH	1:16 LH	1:16 LH
FINISH	BLACK COLOR, CERAKOTE, PVD COATING	BLACK COLOR, CERAKOTE, PVD COATING	AL BLACK COLOR, CERAKOTE, PVD COATING	BLACK COLOR	BLACK COLOR, CERAKOTE, PVD COATING
MATERIAL	SLIDE&FRAME: SUS416 or 4140 STEEL, PANEL: WOOD or POLYMER	SLIDE&FRAME:SUS416 or 4140 STEEL, GRIP:POLYMER	SLIDE&FRAME:SUS416 or 4140 STEEL, GRIP:ALUMINUM	SLIDE:SUS416, FRAME: 4140 STEEL, GRIP: POLYMER	SLIDE:SUS416, GRIP:POLYMER
TRIGGER	~4.5LBS (2.04KG) w/ AMBI SAFETY LEVER	~4.5LBS(2.04KG) w/ AMBI SAFETY LEVER	~5.5LBS(2.5KG) w/ TRIGGER SAFETY	~5,5LBS (2,5KG) w/ TRIGGER SAFETY	~5.5LBS(2.5KG) w/ TRIGGER SAFETY
SIGHTS	LOW PROFILE, NOVAK STYLE	LOW PROFILE, NOVAK STYLE	LOW PROFILE, FIXED TYPE	FIXED LOW PROFILE	FIXED TYPE
OTHER	PICATINNY UNDER-RAIL	PICATINNY UNDER-RAIL	PICATINNY UNDER-RAIL	PICATINNY UNDER-RAIL	PICATINNY UNDER-RAIL
MAGAZINE	7~10 ROUNDS	17 ROUNDS	15 ROUNDS	15 ROUNDS	15 ROUNDS
FIRE MODE	HAMMER-FIRED	HAMMER-FIRED	STRIKER-FIRED	STRIKER-FIRED	STRIKER-FIRED

DSAR15P GAS PISTON SYSTEM





ACCURACY 1,3 MOA



SAND TEST



MUD TEST (LEVEL 12 ULTIMATE TEST)

✓ PERFORMANCE / ENVIRONMENT TEST : PASSED

√TOP 3-2-045 TEST : PASSED

✓ ACE 225 NATO TEST : PASSED







ACTION

SHORT-STROKE GAS PISTON ROTATING BOLT

FRONT SIGHT BASE

MIL-STD-1913 RAIL

TRIGGER

2-STAGE PRECISION TRIGGER & SINGLE

STAGE TRIGGER

AMBIDEXTROUS OPERATION

SELECTOR

CHARGING HANDLE

(MAGAZINE CATCH, BOLT CATCH)

HANDGUARD

QUADRO-SIDE PICATINNY RAIL

(MIL-STD-1913) FREE FLOATING

STOCK

MULTI POSITION ADJUSTABLE STOCK (6-POSITION)

SPECIFICATIONS

CALIBERS	5.56×45mm NATO / .223		
BARREL	16"	14.5"	11.5"
WEIGHT	3.2Kg	3.1Kg	3.0 Kg
OVERALL LENGTH	880mm	840 mm	760 mm
EFFECTIVE RANGE	550m		
MAGAZINE CAPACITY	30 ROUNDS		
TWIST	1:7" TWIST, 6 GROOVES RH		
RATE OF FIRE	700~950 rpm		

DSAR15 GAS TUBE SYSTEM

DSAR1OS GASTUBE SYSTEM



ACTION

GAS TUBE ROTATING BOLT

FRONT SIGHT BASE

MIL-STD-1913 RAIL

TRIGGER

SINGLE STAGE TRIGGER

HANDGUARD


QUADRO-SIDE PICATINNY RAIL FREE FLOATING

STOCK

MULTI POSITION ADJUSTABLE STOCK (6-POSITION)

SPECIFICATIONS

CALIBERS	5.56×45mm NATO / .223		
BARREL	16"	14.5"	10.5"
WEIGHT	3.2Kg	3.1Kg	3.0 Kg
OVERALL LENGTH	880mm	840mm	760 mm
EFFECTIVE RANGE	550m		
MAGAZINE CAPACITY	30 ROUNDS		
TWIST	1:7" TWIST, 6 GROOVES RH		
RATE OF FIRE	700~950 rpm		




- · A dependable Single-Stage Trigger
- · Simple Gas Tube System
- · 18-inch Barrel
- · Multi position (6–Position) Adjustable Stock
- · M-Lock Compatible Lightweight Handguard
- · Flared Magazine Well
- Multiple Quick Attach Sling Points

SPECIFICATIONS

CALIBERS	7.62×51mm NATO / .308 WIN
BARREL	18"
WEIGHT	4Kg
OVERALL LENGTH	1,050 mm
EFFECTIVE RANGE	800m
MAGAZINE CAPACITY	20 ROUNDS
TWIST	1:10" RH 1:11" RH

DSAR47



SPECIFICATIONS

CALIBERS	7.62×39mm, 5.45x39mm
ACTION	GAS PISTON OPERATED
WEIGHT W/O MAGAZINE	3.1Kg
OVERALL LENGTH	840mm STOCK RETRACTED 930mm STOCK EXTENDED
BARREL LENGTH	16"
MUZZLE VELOCITY	700~950m/s
EFFECTIVE RANGE	500m
RIFLING	1:9" TWIST, 6 GROOVE R/H

- · Optimized Design for the proven 7.62×39mm Cartridge
- · Gas Piston Operation System with Rotating Locking Bolt
- · Adjustable Gas Valve
- · Multi position (6–Position) Adjustable Stock
- · 4-Rail Picatinny Handguard (Panoramic Sight, Flashlight, Laser Sights and etc.)

DSMG9

CALIBERS

OPERATION SYSTEM

RIFLING



WEIGHT	2.5Kg, 2.7Kg
BARREL LENGTH	7.5" 10.5"
OVERALL LENGTH	605mm STOCK RETRACTED 690mm STOCK RETRACTED 685mm STOCK RETRACTED 770mm STOCK RETRACTED
FINISH	BLACK ANODIZED
EFFECTIVE RANGE	100m
MAGAZINE CAPACITY	33 ROUNDS
RATE OF FIRE(FULL-AUTO)	750~950 rpm
MUZZLE VELOCITY	350m/s

9×19mm

BLOW BACK

1:10" TWIST, 6 GROOVE R/H

- \cdot A sub-machine gun designed for the Special Forces and SWAT operation
- · Optimized Design with Ambidextrous Charging Handle
- Blow-Back Operation
- · Compatible with Glock Magazine (9x19mm)
- · Multi position (6-Position) Adjustable Stock for User Body Type
- · Low Profile M-Lock Compatible Forend
- · Adapted Picatinny–rail with Upper & Lower Handguard for Various Accessories (Flip Sight, Flashlight, Laser Sights and etc.)

DSSR762 GAS PISTON SYSTEM (SNIPER)



SPECIFICATIONS


CALIBERS	7,62×51 mm NATO
MAGAZINE CAPACITY	5/10/20 ROUNDS
WEIGHT	9.48~11.75 lb (4.3~5.33 Kg)
OVERALL LENGTH	39.4~41,3 inch (1,000~1,050 mm)
WIDTH (APPROX.)	2,75 inch (70 mm)
HEIGHT	7.28 inch (185 mm)
FIRE MODE	SEMI-AUTO
TRIGGER SYSTEM	2-STAGE MATCH TRIGGER
BARREL	COLD HAMMER FORGED BARREL 20" (508 mm)
STOCK	Target style buttstock adjustable for comb height and length of pull


Accuracy

1 MOA guaranteed accuracy standard using KM80 ammunition. Optional barrel twist rate available to optimize subsonic ammunition accuracy.

DK-1A

DK-2C1





DAK47

RAPID (SHOTGUN, 12 guage)

SPECIFICATIONS

CALIBERS	7.62×39mm		
WEIGHT	DAK47W	DAK47P	DAK47A
WEIGHT	3.1 Kg	3,1 Kg	3.2 Kg
BARREL LENGTH	16"		
OVERALL LENGTH	895mm		
RIFLING	1:9.5" TWIST, 6 GROOVE R/H		
MAGAZINE CAPACITY	30 ROUNDS		
RATE OF FIRE	600 rpm.		







- · Dependable Pump action operation using dual steel action bars
- · High grade aluminum alloy receiver machine from a solid billet
- · Comes Standard with removable threaded choke tubes



DASAN MACHINERIES CO., LTD. www.da-san.co.kr

17, Techno valley 2-ro, Bongdong-eup, Wanju-gun, Jeollabuk-do, REPUBLIC OF KOREA 55314 P+82-63-261-0411 F+82-63-261-0415 dsgun@da-san.co.kr

DASANUSA INC. www.dasanusa.com

2400 Chattahoochee drive duluth, GEORGIA 30097, UNITED STATES OF AMERICA P+1-770-623-6722 F+1-770-623-6723 sales@dasanusa.com

DASAN EUROPE

Frankfurter Str. 44, 61476 Kronberg, GERMANY Tel.: +49-6173-9958-415 theo.ko@dasan-eu.com

The pictures and colours shown may differ from the original | 1992 © **DASAN MACHINERIES Co., Ltd.**